



Hinox Technology هاينوكس للتكنولوجيا
Mutlak Saleh Muhammad Alhedayani company شركة مطلق صالح محمد الهدayani
Smart Home Solutions لأنظمة البيوت الذكية

رؤية
2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA



Made in Turkey
Three Years Guarantee

صناعة تركية
ضمان ٣ سنوات

Sound System
نظام الصوت

- شاشة ٧ إنش لمس سهلة التركيب
- تعمل بنظام أندرويد
- إمكانية ربطها بنظام الواي فاي و الإنترنت
- إمكانية ربطها بالنظام الذكي (Smart Panal)
- يتم تركيب شاشة صوت واحدة في كل زون على حدى
- يتم توصيل السماعات مباشر الى الشاشة كحد اقصى 8 سماعات لكل شاشة
- تحتوي الشاشة على المداخل (...Radio-Tv-SD-BLUETOOTH-AUX-USB)
- يمكن تركيب اي نوع من السماعات (8 أوم)
- كما يمكن التحكم باشاشة بواسطة ريموت كمنترول مرفق معها
- تناسب جميع أنواع المشاريع قيد الإنشاء او الجاهزة



Our Speaker





Hinox Technology هاينوكس للتكنولوجيا

Nutak Saleh Mohamed Alhazayni company

شركة مطلق صالح محمد الهذاني

Smart Home Solutions أنظمة البيوت الذكية

VISION رؤية
2030
الاستراتيجية الوطنية للتكنولوجيا
INDUSTRY OF SAUDI ARABIA



Made in Turkey
25 Years Guarantee

صناعة تركية
ضمان ٢٥ سنة

Wiring Device
أفياش ومفاتيح

COLORED SWITCHES



White Frame - BR060101
Module White - BR010101



White Pearl Frame - BR060124
Module White Pearl - BR010124



Beige Frame - BR060102
Module Beige - BR010102



Dore Frame - BR060123
Module Dore - BR010123



Silver Frame - BR060105
Module Silver - BR010105



Fume Frame - BR060110
Module Fume - BR010110



Black Frame - BR060106
Module Black - BR010125



Khaki Frame - BR060107
Module Khaki - BR010107



Natural Walnut Frame - BR060127
Module Natural Walnut Frame - BR010127



Natural Cherry Frame - BR060128
Module Natural Cherry - BR010128



Natural Pine Frame - BR060129
Module Natural Pine - BR010129



Natural Oak Frame - BR060126
Module Natural Oak - BR010126

CORIAN



Frame: Aurora - BR060121
Module: Dore - BR010123



Frame: Blackquartz - BR060120
Module Silver - BR010105



Frame: Dark - BR060122
Module Black - BR010125



Frame: Sandstone - BR060119
Module Dore - BR010123

METAL



Frame: Silver - BR060108
Module: Silver - BR010105



Frame: Black - BR060109
Module Black - BR010125



Frame: Setin - BR060104
Module Dore - BR010123

GLASS



Frame: White Pearl - BR060115
Module: Silver - BR010105



Frame: Blackmagic - BR060116
Module: Silver - BR010105



Frame: Greenleaf - BR060117
Module Dore - BR010123



Frame: Riverblue - BR060118
Module Dore - BR010123

WOOD



Frame: Beech - BR060113
Module: Silver - BR010105



Frame: Walnut - BR060114
Module Dore - BR010123



Frame: Dark Cherry - BR060111
Module: Silver - BR010105



Frame: Vergo - BR060110
Module Dore - BR010123

966 12 612 7641 | yahya.a@hinox-techno.com

966 50 007 3659 | www.hinox-techno.com

جدة - طريق المدينة - مدينة البناء - قسم (C) / c3 / c4

Jeddah - Al-Madina Rd. - Constraction City - Block (C) - c3/c4

Makel BS

Switch & Socket Outlet Series

Double Socket-Outlet
Switched 2P
13 A, 250 V- BS 2-1363



Double Socket-Outlet
Switched 2P Illuminated
13 A, 250 V- BS 2-1363



Double Socket-Outlet
Switched 1P
13 A, 250 V- BS 2-1363



Double Socket-Outlet
13 A, 250 V- BS 2-1361



environmental sensitivity will bring an innovative dimension to your spaces.



The British Standard Switch and Socket Outlet series developed in parallel with functionality, high product quality and environmental sensitivity will bring an innovative dimension to your space.



Socket-Outlet
Switched 2P
13 A, 250 V-
BS 2-1363



Socket-Outlet
Switched 2P
Illuminated
13 A, 250 V-
BS 2-1363



Socket-Outlet
13 A, 250 V-
BS 2-1363



Multi Socket
Outlet
BR02S201
13 A, 250 V-
BS 2-1363



SAT Socket



Data Socket



Double Data Socket



Bell Switch Illuminated
4 A, 250 V-
BS EN 1-60669



Bell Switch
4 A, 250 V-
BS EN 1-60669



AC Switch 13A
BR014701
13 A, 250 V-
BS EN 1-60669



Heater Switch 32A
BR014801
32 A, 250 V-
BS EN 1-60669



Shutter Push Button
BR014901
16 A, 250 V-
EN 1-60669



Dimmer 300W
BR033401
1000W, 250 V-
2-2-60069



Intermediate Switch
Illuminated
20 A - 16 AX, 250 V-
BS EN 60669-1



Switch 2P Illuminated
20 A - 16 AX, 250 V-
BS EN 60669-1



3G Switch Illuminated
20 A - 16 AX, 250 V-
BS EN 1-60669



4G Switch Illuminated
20 A - 16 AX, 250 V-
BS EN 1-60669



1G Change-Over
Switch Illuminated
20 A - 16 AX, 250 V-
BS EN 1-60669



1G Switch Illuminated
20 A - 16 AX, 250 V-
BS EN 1-60669



3G Change-Over
Switch
20 A - 16 AX, 250 V-
BS EN 1-60669



2G Switch
20 A - 16 AX, 250 V-
BS EN 1-60669



Switch 2P
20 A - 16 AX, 250 V-
BS EN 1-60669



4G Change-Over
Switch
20 A - 16 AX, 250 V-
BS EN 1-60669



2G Switch Illuminated
20 A - 16 AX, 250 V-
BS EN 1-60669



2G Change-Over
Switch Illuminated
20 A - 16 AX, 250 V-
BS EN 1-60669



Switch 2P Illuminated
20 A - 16 AX, 250 V-
BS EN 1-60669




4G Switch
20 A - 16 AX, 250 V-
BS EN 1-60669



2G Change-Over
Switch
20 A - 16 AX, 250 V-
BS EN 1-60669



1G Change-Over
Switch
20 A - 16 AX, 250 V-
BS EN 1-60669



4G Change-Over
Switch Illuminated
20 A - 16 AX, 250 V-
BS EN 1-60669



3G Change-Over
Switch Illuminated
20 A - 16 AX, 250 V-
BS EN 1-60669



Intermediate Switch
Illuminated
20 A - 16 AX, 250 V-
BS EN 1-60669



The British Standard Switch and Socket Outlet series developed in parallel with functionality, high product quality



3G Switch
20 A - 16 AX, 250 V-
BS EN 1-60669



1G Switch
20 A - 16 AX, 250 V-
BS EN 1-60669



Intermediate Switch
20 A - 16 AX, 250 V-
BS EN 1-60669



Hinox Technology هاينوكس للتكنولوجيا
 Hinox Technology Vision 2030
 Hinox Technology Vision 2030
 Hinox Technology Vision 2030



Made in Turkey
 Three Years Guarantee

صناعة تركية
 ضمان 3 سنوات

Lighting
 إنارة



50W (20x20) Slim Led Panel Armature PC-AL0002006		50W (20x20) Slim Led Panel Armature PC-AL0001008		50W (20x20) Slim Led Panel Armature PC-AL0002006		40W (20x20) Slim Led Panel Armature PC-AL0001008	
>80	CRI	>80	CRI	>80	CRI	>80	CRI
595 mm	WIDTH	595 mm	WIDTH	595 mm	WIDTH	595 mm	WIDTH
595 mm	LENGTH	595 mm	LENGTH	595 mm	LENGTH	595 mm	LENGTH
9 mm	HEIGHT	9 mm	HEIGHT	9 mm	HEIGHT	9 mm	HEIGHT
6	NUMBER OF BOXES	6	NUMBER OF BOXES	6	NUMBER OF BOXES	6	NUMBER OF BOXES



12W Led Armoire DC12-AR00214H		12W Led Armoire DC12-AR00214H	
>80	CRI	>80	CRI
142 mm	HEIGHT	142 mm	HEIGHT
80 mm	DIAMETER	80 mm	DIAMETER
A+	CLASS	A+	CLASS
IP20	IP PROTECTION	IP20	IP PROTECTION
Indoor	APPLICATION	Indoor	APPLICATION
100	NUMBER OF BOXES	100	NUMBER OF BOXES



Ceiling Armoire With Motion Sensor AC-0000W-0701		Ceiling Armoire With Emergency Lighting & Motion Sensor AC-0000W-0702	
2x25W	POWER	2x25W	POWER
1x1	EMERGENCY	1x1	EMERGENCY
360	MOTION DETECTION ANGLE	360	MOTION DETECTION ANGLE
4.5 m	MOUNTING HEIGHT	4.5 m	MOUNTING HEIGHT
9 m	SHADING DISTANCE	9 m	SHADING DISTANCE
10%	LIGHT AND TIME SETTING	10%	LIGHT AND TIME SETTING



15W Slim Led Downlight DC15-DM002006		15W Slim Led Downlight DC15-DM001008		15W Slim Led Downlight DC15-DM002006		15W Slim Led Downlight DC15-DM001008	
>70	CRI	>70	CRI	>70	CRI	>70	CRI
195 mm	EXTERNAL DIAMETER	195 mm	EXTERNAL DIAMETER	225 mm	EXTERNAL DIAMETER	225 mm	EXTERNAL DIAMETER
150 mm	INTERNAL DIAMETER	150 mm	INTERNAL DIAMETER	180 mm	INTERNAL DIAMETER	180 mm	INTERNAL DIAMETER
20.3 mm	DEPTH	20.3 mm	DEPTH	20.3 mm	DEPTH	20.3 mm	DEPTH
175 mm	CUTTING SIZE Cpu3	175 mm	CUTTING SIZE Cpu3	205 mm	CUTTING SIZE Cpu3	205 mm	CUTTING SIZE Cpu3
IP40	IP PROTECTION	IP40	IP PROTECTION	IP40	IP PROTECTION	IP40	IP PROTECTION
24	NUMBER OF BOXES	24	NUMBER OF BOXES	24	NUMBER OF BOXES	24	NUMBER OF BOXES



16W (20x20) Slim Led Panel Armature PC-AL0002006		16W (20x20) Slim Led Panel Armature PC-AL0001008		20W (20x20) Slim Led Panel Armature PC-AL0002006		22W (20x20) Slim Led Panel Armature PC-AL0001008	
>80	CRI	>80	CRI	>80	CRI	>80	CRI
295 mm	WIDTH	295 mm	WIDTH	295 mm	WIDTH	295 mm	WIDTH
595 mm	LENGTH	595 mm	LENGTH	595 mm	LENGTH	595 mm	LENGTH
9 mm	HEIGHT	9 mm	HEIGHT	9 mm	HEIGHT	9 mm	HEIGHT
6	NUMBER OF BOXES	6	NUMBER OF BOXES	6	NUMBER OF BOXES	6	NUMBER OF BOXES



20W (20x20) Slim Led Panel Armature PC-AL0002006		20W (20x20) Slim Led Panel Armature PC-AL0001008		40W (20x20) Slim Led Panel Armature PC-AL0002006		40W (20x20) Slim Led Panel Armature PC-AL0001008	
>80	CRI	>80	CRI	>80	CRI	>80	CRI
295 mm	WIDTH	295 mm	WIDTH	295 mm	WIDTH	295 mm	WIDTH
1195 mm	LENGTH	1195 mm	LENGTH	1195 mm	LENGTH	1195 mm	LENGTH
9 mm	HEIGHT	9 mm	HEIGHT	9 mm	HEIGHT	9 mm	HEIGHT
6	NUMBER OF BOXES	6	NUMBER OF BOXES	6	NUMBER OF BOXES	6	NUMBER OF BOXES



10W Night Lamp - White
E27/000127-A

280	CR1
107 mm	HEIGHT
60 mm	DIAMETER
A+	CLASS
IP20	IP PROTECTION
Indoor	APPLICATION
100	NUMBER OF BOXES

11W Night Lamp - Gold
E27/000127-A

280	CR1
107 mm	HEIGHT
60 mm	DIAMETER
A+	CLASS
IP20	IP PROTECTION
Indoor	APPLICATION
100	NUMBER OF BOXES

10W Night Lamp - Yellow
E27/000127-A

280	CR1
107 mm	HEIGHT
60 mm	DIAMETER
A+	CLASS
IP20	IP PROTECTION
Indoor	APPLICATION
100	NUMBER OF BOXES

11W Night Lamp - Blue-Green
E27/000127-A

280	CR1
107 mm	HEIGHT
60 mm	DIAMETER
A+	CLASS
IP20	IP PROTECTION
Indoor	APPLICATION
100	NUMBER OF BOXES



7W Ambient Lamp
E27/000127-A

280	CR1
107 mm	HEIGHT
60 mm	DIAMETER
A+	CLASS
IP20	IP PROTECTION
Indoor	APPLICATION
100	NUMBER OF BOXES

7W Ambient Lamp
E27/000127-A

280	CR1
107 mm	HEIGHT
60 mm	DIAMETER
A+	CLASS
IP20	IP PROTECTION
Indoor	APPLICATION
100	NUMBER OF BOXES

9W Ambient Lamp
E27/000127-A

280	CR1
123 mm	HEIGHT
70 mm	DIAMETER
A+	CLASS
IP20	IP PROTECTION
Indoor	APPLICATION
100	NUMBER OF BOXES

9W Ambient Lamp
E27/000127-A

280	CR1
123 mm	HEIGHT
70 mm	DIAMETER
A+	CLASS
IP20	IP PROTECTION
Indoor	APPLICATION
100	NUMBER OF BOXES



30W Plug Type
E27/000127-A

>80	CR1
102 mm	HEIGHT
34 mm	DIAMETER
A+	CLASS
IP20	IP PROTECTION
Indoor	APPLICATION
100	NUMBER OF BOXES

2W Plug Type
E27/000127-A

>80	CR1
102 mm	HEIGHT
34 mm	DIAMETER
A+	CLASS
IP20	IP PROTECTION
Indoor	APPLICATION
100	NUMBER OF BOXES

2W Cooked Carda Plug Type
E27/000127-A

>80	CR1
113 mm	HEIGHT
34 mm	DIAMETER
A+	CLASS
IP20	IP PROTECTION
Indoor	APPLICATION
100	NUMBER OF BOXES

2W Cooked Carda Plug Type
E27/000127-A

>80	CR1
113 mm	HEIGHT
34 mm	DIAMETER
A+	CLASS
IP20	IP PROTECTION
Indoor	APPLICATION
100	NUMBER OF BOXES



30W Slim LED Downlight
E27/000127-A

270	CR1
90 mm	EXTERNAL DIAMETER
48 mm	INTERNAL DIAMETER
11.3 mm	DEPTH
70 mm	CUTTING SIZE - (Cp4)
IP20	IP PROTECTION
48	NUMBER OF BOXES

30W Slim LED Downlight
E27/000127-A

270	CR1
90 mm	EXTERNAL DIAMETER
48 mm	INTERNAL DIAMETER
16.3 mm	DEPTH
70 mm	CUTTING SIZE - (Cp4)
IP20	IP PROTECTION
48	NUMBER OF BOXES

6W Slim LED Downlight
E27/000127-A

270	CR1
120 mm	EXTERNAL DIAMETER
82 mm	INTERNAL DIAMETER
26.3 mm	DEPTH
165 mm	CUTTING SIZE - (Cp4)
IP20	IP PROTECTION
48	NUMBER OF BOXES

6W Slim LED Downlight
E27/000127-A

270	CR1
120 mm	EXTERNAL DIAMETER
82 mm	INTERNAL DIAMETER
26.3 mm	DEPTH
165 mm	CUTTING SIZE - (Cp4)
IP20	IP PROTECTION
48	NUMBER OF BOXES



30W Ambient Lamp
E27/000127-A

280	CR1
90 mm	HEIGHT
50 mm	DIAMETER
A+	CLASS
IP20	IP PROTECTION
Indoor	APPLICATION
100	NUMBER OF BOXES

30W Ambient Lamp
E27/000127-A

280	CR1
90 mm	HEIGHT
50 mm	DIAMETER
A+	CLASS
IP20	IP PROTECTION
Indoor	APPLICATION
100	NUMBER OF BOXES

5W Ambient Lamp
E27/000127-A

280	CR1
107 mm	HEIGHT
60 mm	DIAMETER
A+	CLASS
IP20	IP PROTECTION
Indoor	APPLICATION
100	NUMBER OF BOXES

5W Ambient Lamp
E27/000127-A

280	CR1
107 mm	HEIGHT
60 mm	DIAMETER
A+	CLASS
IP20	IP PROTECTION
Indoor	APPLICATION
100	NUMBER OF BOXES



10W Slim LED Downlight
E27/000127-A

270	CR1
147 mm	EXTERNAL DIAMETER
108 mm	INTERNAL DIAMETER
20.3 mm	DEPTH
130 mm	CUTTING SIZE - (Cp4)
IP40	IP PROTECTION
36	NUMBER OF BOXES

12W Slim LED Downlight
E27/000127-A

270	CR1
170 mm	EXTERNAL DIAMETER
130 mm	INTERNAL DIAMETER
20.3 mm	DEPTH
155 mm	CUTTING SIZE - (Cp4)
IP40	IP PROTECTION
40	NUMBER OF BOXES

20W Slim LED Downlight
E27/000127-A

270	CR1
200 mm	EXTERNAL DIAMETER
260 mm	INTERNAL DIAMETER
21.3 mm	DEPTH
290 mm	CUTTING SIZE - (Cp4)
IP40	IP PROTECTION
12	NUMBER OF BOXES

20W Slim LED Downlight
E27/000127-A

270	CR1
200 mm	EXTERNAL DIAMETER
260 mm	INTERNAL DIAMETER
21.3 mm	DEPTH
290 mm	CUTTING SIZE - (Cp4)
IP40	IP PROTECTION
12	NUMBER OF BOXES



Hinox Technology هاينوكس للتكنولوجيا

Mutlak Saleh Muhammad Alhedayani company

شركة مطلق صالح محمد الهدayani

Smart Home Solutions أنظمة البيوت الذكية

رؤية VISION
2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

na·De®

Made in Turkey
Three Years Guarantee


صناعة تركية
ضمان ٣ سنوات

Motion sensor
حساسات حركة




10100

- AUTO, ON, OFF mode selection by tri-state switch
- Easy mounting on surface and flush mount
- Available to use on ceiling and on wall
- Adjustable time delay, lux settings
- Perfect detection thanks to digital technology
- °360 sensing angle on the ceiling, °180 sensing angle on the wall




10180

- °120 left-right and °30 up-down swivel sensor module
- Adjustable time delay, lux settings
- °180 detection area
- Black colour model is available




10360

- °360 detection area
- Easy mounting on the surface
- Adjustable time delay, lux settings
- Perfect detection thanks to digital technology



10362

- °360 detection area
- °360 movable base
- Easy flush-mount ceiling type motion sensor
- Adjustable time delay, lux settings
- Perfect detection thanks to digital technology



966 12 612 7641 yahya.a@hinox-techno.com

966 50 007 3659 www.hinox-techno.com

جدة - طريق المدينة - مدينة البناء - قسم (C) / c3 / c4

Jeddah - Al-Madina Rd. - Constraction City - Block (C) - c3/c4



Hinox Technology هاينوكس للتكنولوجيا

Mutlak Saleh Muhammad Alhedayani company

شركة مطلق صالح محمد الهدباني

Smart Home Solutions أنظمة البيوت الذكية

رؤية VISION

2030

المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA

na·De®

Made in Turkey
Three Years Guarantee


صناعة تركية
ضمان ٣ سنوات

Motion sensor
حساسات حركة




10365

- Ability to detect every angle through °360 motion sensor technology
- °30 right-left swivel sensor modul
- Easy flush mount installation
- Adjustable time delay, lux settings
- Perfect detection thanks to digital technology
- Ability to adjust between °360-°30 by angle apparatus
- Mounting section size : Ø70 mm




10366

- Ability to detect every angle through high frequency technology
- Detection through plasterboard, glass and wall
- Easy flush mount installation
- Adjustable time delay, lux and distance settings
- Perfect detection thanks to digital technology




10467

- Easy mounting to the surface
- Adjustable time delay, lux and distance settings
- Perfect detection thanks to digital technology
- 32 m detection diameter



10463

- Ability to detect every angle through TRIO motion sensor technology
- Ability to adjust between °360 – °180 by angle apparatus
- Easy mounting to the surface
- Adjustable time delay, lux and distance settings
- Perfect detection thanks to digital technology
- 24 m detection diameter





Hinox Technology هاینوكس للتكنولوجيا

Mutlak Saleh Muhammad Alhedayani company شركة مطلق صالح محمد الهداياني

Smart Home Solutions أنظمة البيوت الذكية



Made in Turkey
Three Years Guarantee

صناعة تركية
ضمان ٣ سنوات

Smart Hotel System
نظام الفنادق الذكي

- إمكانية التحكم بكامل المبنى عن طريق برنامج على كمبيوتر الإستقبال .
- يتم فتح الباب مباشرة عن طريق الوحدة الخارجية وبالتالي يتم الإستغناء عن إستخدام الكيلون التقليدي للفنادق .
- يمكن التحكم بعدة أتماط من الكروت (النزيل - الإدارة - عمال التنظيف ...) .
- يمكن للنزيل التحكم بكامل عناصر الغرفة (انارة - تكييف - ستائر ...) من خلال تطبيق يحمل على جواله .
- يمكن توفير الوقت والجهد خلال طلبات النزيل مثلا (طلب عامل النظافة يظهر عند الإستقبال فتتم الخدمة في أسرع وقت) .
- يمكن عمل سيناريوهات لكامل المبنى مع إختلاف فصول السنة مما يؤدي إلى توفير الطاقة .





Hinox Technology هاينوكس للتكنولوجيا

Mutlak Saleh Muhammad Alhedayani company شركة مطلق صالح محمد الهداياني

Smart Home Solutions أنظمة البيوت الذكية



Made in Turkey
Three Years Guarantee

صناعة تركية
ضمان ٣ سنوات

Smart System
النظام الذكي

- هو النظام والمعياري العالمي للتحكم في المنازل والأبنية وجعلها أبنية ذكية .
- نظام عالمي عالي التكنولوجيا والجودة وبأفضل الأسعار
- راحة ورفاهية وفخامة .
- قيمة مضافة للبناء .
- سهولة الإستخدام .
- توفير الطاقة والوقت والجهد .
- الأمان والسلامة والمرونة .
- يتم التحكم في معظم الأنظمة الكهربائية من خلال النظام (اناارة - تكييف - شتر - صوت ...)





Hinox Technology هاينوكس للتكنولوجيا
Mutlak Saleh Muhammad Alhedayani company شركة مطلق صالح محمد الهداياني
Smart Home Solutions أنظمة البيوت الذكية

رؤية VISION
2030
المملكة العربية السعودية
KINGDOM OF SAUDI ARABIA



Made in Turkey
Three Years Guarantee


صناعة تركية
ضمان ٣ سنوات

Sound System
نظام الصوت

- شاشة ٤,٣ إنش لمس سهلة التركيب
- يتم تركيب شاشة صوت واحدة في كل زون على حدى
- يتم توصيل السماعات مباشر الى الشاشة كحد اقصى 8 سماعات لكل شاشة
- تحتوي الشاشة على المداخل (...Radio-Tv-SD-BLU-AUX-USB)
- يمكن تركيب اي نوع من السماعات (8 أوم)
- كما يمكن التحكم باشاشة بواسطة ريموت كترول مرفق معها
- تناسب جميع أنواع المشاريع



Our Speaker



966 12 612 7641 yahya.a@hinox-techno.com
966 50 007 3659 www.hinox-techno.com

جدة - طريق المدينة - مدينة البناء - قسم (C) c3 / c4
Jeddah - Al-Madina Rd. - Constraction City - Block (C) - c3/c4